



Rubber Metal anti vibration mounts


# TYPE S




**AMC**  
MECANOCAUCHO  
NOISE AND  
VIBRATION  
SOLUTIONS




 **AMC MECANOCAUCHO**  
Industrialdea Zona A - Pab. 35.  
Asteasu E-20159, Gipuzkoa  
Spain

 Tel.: +34 943 69 61 02  
Fax: +34 943 69 62 19

 [sales@amcsa.es](mailto:sales@amcsa.es)

 [www.mecanocaucho.com](http://www.mecanocaucho.com)  
[www.akustik.com](http://www.akustik.com)

DRAWINGS




DIMENSIONS

Type	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	DEFLECTION (mm)	Load (kg)	Weight (kg)	Code
L-40	300	40	20	350	140	200	5	15000	10,186	141021
L-50	300	50	30	350	140	200	5	13000	10,186	141022
L-60	300	60	40	350	140	200	5	11000	10,6	141023
L-70	300	70	50	350	140	200	5	9000	10,186	141024

Elastical properties

**NATURAL FREQUENCY  
HIGH LOAD MOUNTS**



**LOAD DEFLECTION CURVES  
HIGH LOAD MOUNTS**

